





SL 194

Søren Lund have been manufacturing modern, upholstered furniture for over 50 years from their workshop in North Jutland. Classic, timeless Danish design, the SL 194 is a generous sofa with a '50s feel that is available in one size but with a choice of fabrics.

Made in Denmark.

Height: 81 cm
Depth: 87 cm
Height of back cushions: 40 cm
Height of Seat: 43 cm
Depth of Seat: 58 cm
Height of Legs: 17 cm
Leg variants (model B17): oak, black stained beech.
Leg diameter: top 5 cm x bottom 3.2 cm cone-shaped



Seat cushions composition

Primary cover made of 100 % cotton 180 g/m² flame retardant, designated Cambric 5824 BH, with filling of 60 % CMHR 27 kg/m³* 40 % duck feather.
Seat cushion filling: Polyurethane Foam.


The sample tested meets the requirements of Schedule 1 Part 1 (Ignition test for polyurethane foam in slab or cushion form) of the Furniture and Furnishings (fire) (safety) Regulations 1988 (as amended). PASS.

Non-Upholstered

Fabric required 130 cm: 12,0.

Category A

Camira Main Line Plus




IF057 Prism




IF058 Lead




IF084 Juniper



IF101 Ruby



IF237 Tulip



IF241 Tuscany

Composition

67% Wool, 20% Flame Retardant Viscose 13% Viscose

Abrasion Resistance

5 year guarantee / 75,000 Martindale cycles (full details available)

Flammability

BS EN 1021 - 1:2014 (cigarette)

BS EN 1021 - 2:2014 (match)

BS 7176:2007 Low Hazard

BS 5852:2006 Section 4 Ignition Source 5 BS 7176:2007 Medium Hazard

Note: Flammability performance is dependent on foam used

Cleaning

Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.

Category B

Camira Main Line Flax



MFL22
Westminster



MLF02 Archway



MLF09 Monument



MLF16 Temple



MLF35 Brompton

Composition

70% Virgin Wool, 30% Flax

Abrasion Resistance

5 year guarantee / 50,000 Martindale cycles (full details available)

Flammability

BS EN 1021 - 1:2014 (cigarette)

BS EN 1021 - 2:2014 (match)

BS 7176:2007 Low Hazard

BS 5852:2006 Section 4 Ignition Source 5 BS 7176:2007 Medium Hazard

BS 5867-2: Type B


Note: Flammability performance is dependent on foam used.

Cleaning


Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.

Category C


Kvadrat Remix 2



143 Grey



682 Lilac



842 Dark-green



852 Brown blue



933 Green

Composition:

90% new wool, 10% nylon

Abrasion

Approximately 100,000 Martindale rubs, EN ISO 12947

Flame resistance

EN 1021-1/2

BS 5852, ignition source 2-3

Önorm B1/Q1

NF D 60 013

UNI 9175, 1IM

AS/NZS 3837 class 2

Cal. Tech. Bull. 117, Sec. E

IMO A.652(16)

Crib 5 and B2 when flame protected No use of brominated flame retardants


Cleaning: Vacuuming and dry cleaning Stain removal: See special guide

Category D


Kvadrat Tonica



111 Light Grey

171 Medium
grey

182 Dark grey



732 Navy

Composition:
100% new wool


Abrasion
Approximately 45,000 Martindale rubs, EN ISO 12947

Flame resistance
EN 1021-1/2
BS 5852, ignition source 2-4 DIN 4102 B2
Önorm B1/Q1
UNI 9175/UNI 9176, 1IM
Cal. Tech. Bull. 117, Sec. E IMO A.652(16)


Cleaning: Vacuuming and dry cleaning Stain removal: See special guide

Category E - 1 of 2


Kvadrat Sunniva 2




132 Mint green



152 Mid grey



352 Wine red



632 Pink

Composition:

58% New wool, 25% Viscose, 8% Linen, 4% Polyester, 5% Polyamide

Abrasion

50.000 Martindale

Flame resistance

AS/NZS 3837

DIN 4102 B2

EN 1021-1/2


IMO A.652(16) with FR treatment

US CAL. BULL. 117-2013


Cleaning: Dry cleaning

Category E - 2 of 2

Hallinghdal 65




116 Light grey



407 Sunflower



180 Charcoal



674 Ruby red

Composition:
70% New wool, 30% Viscose

Abrasion
100.000 Martindale

Flame resistance
AS/NZS 1530.3
AS/NZS 3837
BS 5852 Crib 5
BS 5852 part 1
DIN 4102 B2
EN 1021-1/2
IMO A.652(16)
NF D 60 013
NFPA 260
SN 198 898 5.3 with FR treatment
UNI 9175 11M
US CAL. BULL. 117-2013

Cleaning: Dry cleaning

